

# Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US04/035573

International filing date: 27 October 2004 (27.10.2004)

Document type: Certified copy of priority document

Document details: Country/Office: US  
Number: 10/962,641  
Filing date: 12 October 2004 (12.10.2004)

Date of receipt at the International Bureau: 29 November 2004 (29.11.2004)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland  
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

*November 20, 2004*

**THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.**

**APPLICATION NUMBER: 10/962,641**

**FILING DATE: *October 12, 2004***

**RELATED PCT APPLICATION NUMBER: *PCT/US04/35573***

Certified by



Jon W Dudas

Acting Under Secretary of Commerce  
for Intellectual Property  
and Acting Director of the U.S.  
Patent and Trademark Office



22763  
10120422763  
US-PTO

PTO/SB/05 (08-03)

Approved for use through 07/31/2006. OMB 0651-0032

U.S. Patent and Trademark Office. U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY  
PATENT APPLICATION  
TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.	760575.00017
First Inventor	Neal Kalechofsky
Title	Devices, Materials And Methods For Sorting, Separating and Sizing Very Small Particles
Express Mail Label No.	EL964256034US

## APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

## ADDRESS TO:

Mail Stop Patent Application  
Commissioner for Patents  
P.O. Box 1450  
Alexandria VA 22313-1450

1. ☒ Fee Transmittal Form (e.g., PTO/SB/17)  
(Submit an original and a duplicate for fee processing)
2. ☐ Applicant claims small entity status.  
See 37 CFR 1.27.
3. ☒ Specification [Total Pages 10]  
(preferred arrangement set forth below)
  - Descriptive title of the invention
  - Cross Reference to Related Applications
  - Statement Regarding Fed sponsored R & D
  - Reference to sequence listing, a table, or a computer program listing appendix
  - Background of the Invention
  - Brief Summary of the Invention
  - Brief Description of the Drawings (if filed)
  - Detailed Description
  - Claim(s)
  - Abstract of the Disclosure
4. ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets 4]
5. Oath or Declaration [Total Sheets 2]
  - a. ☒ Newly executed (original or copy)
  - b. ☐ Copy from a prior application (37 CFR 1.63(d))  
(for continuation/divisional with Box 18 completed)
  - i. ☐ **DELETION OF INVENTOR(S)**  
Signed statement attached deleting inventor(s) name in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).
6. ☐ Application Data Sheet. See 37 CFR 1.76

7. ☐ CD-ROM or CD-R in duplicate, large table or Computer Program (Appendix)
8. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
  - a. ☐ Computer Readable Form (CRF)
  - b. Specification Sequence Listing on:
    - i. ☐ CD-ROM or CD-R (2 copies); or
    - ii. ☐ Paper
  - c. ☐ Statements verifying identity of above copies

## ACCOMPANYING APPLICATION PARTS

9. ☐ Assignment Papers (cover sheet & document(s))
10. ☐ 37 CFR 3.73(b) Statement ☒ Power of Attorney  
(when there is an assignee)
11. ☐ English Translation Document (if applicable)
12. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
13. ☐ Preliminary Amendment
14. ☒ Return Receipt Postcard (MPEP 503)  
(Should be specifically itemized)
15. ☐ Certified Copy of Priority Document(s)  
(if foreign priority is claimed)
16. ☐ Nonpublication Request under 35 U.S.C. 122 (b)(2)(B)(i). Applicant must attach form PTO/SB/35 or its equivalent.
17. ☐ Other: .....

18. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in the first sentence of the specification following the title, or in an Application Data Sheet under 37 CFR 1.76:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: .....

Prior application information:

Examiner: .....

Art Unit: .....

For CONTINUATION OF DIVISIONAL APPS only; The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 5b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

## 19. CORRESPONDENCE ADDRESS

\* ☐ Customer Number: [ ] OR ☐ Correspondence address below

Name	Todd S. Parkhurst		
Address	131 South Dearborn St., 30th Floor		
City	Chicago	State	Illinois
Country	U.S.A.	Telephone	312-578-6694
		Zip Code	60603
		Fax	312-578-6666

Name (Print/Type)	Todd S. Parkhurst	Registration No. (Attorney/Agent)	26,494
Signature		Date	12/04/04

This collection of information is required by 37 CFR 1.53(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Patent Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

19270 US-PTO  
10/962641

101204

22103 U.S. PTO

PTO/SB/17 (10-03)

Approved for use through 07/31/2006. OMB 0651-0032  
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**FEE TRANSMITTAL  
for FY 2004**

Effective 10/01/2003. Patent fees are subject to annual revision.

☐ Applicant claims small entity status. See 37 CFR 1.27

TOTAL AMOUNT OF PAYMENT (\$ 790.00)

**Complete if Known**

Application Number	
Filing Date	
First Named Inventor	Neal Kechofsky
Examiner Name	
Art Unit	
Attorney Docket No.	760575.00017

**METHOD OF PAYMENT (check all that apply)**☒ Check ☐ Credit card ☐ Money Order ☐ Other ☐ None☒ Deposit Account:Deposit  
Account  
Number  
Deposit  
Account  
Name

50-1794

Holland &amp; Knight LLP

The Director is authorized to: (check all that apply)

☐ Charge fee(s) indicated below ☒ Credit any overpayments☒ Charge any additional fee(s) or any underpayment of fee(s)☐ Charge fee(s) indicated below, except for the filing fee to the above-identified deposit account.**FEE CALCULATION****1. BASIC FILING FEE**

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
1001 770	2001 385	Utility filing fee	790.00
1002 340	2002 170	Design filing fee	
1003 530	2003 265	Plant filing fee	
1004 770	2004 385	Reissue filing fee	
1005 160	2005 80	Provisional filing fee	
<b>SUBTOTAL (1)</b>			<b>(\$ 790.00)</b>

**2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE**

Total Claims	Extra Claims	Fee from below	Fee Paid
42	-20** = 22	18	396
Independent Claims	6	-3** = 3	88
Multiple Dependent		0	0

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description
1202 18	2202 9	Claims in excess of 20
1201 86	2201 43	Independent claims in excess of 3
1203 290	2203 145	Multiple dependent claim, if not paid
1204 86	2204 43	** Reissue independent claims over original patent
1205 18	2205 9	** Reissue claims in excess of 20 and over original patent
<b>SUBTOTAL (2)</b>		<b>(\$ 1,450.00)</b>

\*or number previously paid, if greater; For Reissues, see above

**FEE CALCULATION (continued)****3. ADDITIONAL FEES**

Large Entity Small Entity

Fee Code (\$)	Fee Code (\$)	Fee Code (\$)	Fee Code (\$)	Fee Description	Fee Paid
1051 130	2051 65			Surcharge - late filing fee or oath	
1052 50	2052 25			Surcharge - late provisional filing fee or cover sheet	
1053 130	2053 130			Non-English specification	
1812 2,520	1812 2,520			For filing a request for <i>ex parte</i> reexamination	
1804 920*	1804 920*			Requesting publication of SIR prior to Examiner action	
1805 1,840*	1805 1,840*			Requesting publication of SIR after Examiner action	
1251 110	2251 55			Extension for reply within first month	
1252 420	2252 210			Extension for reply within second month	
1253 950	2253 475			Extension for reply within third month	
1254 1,480	2254 740			Extension for reply within fourth month	
1255 2,010	2255 1,005			Extension for reply within fifth month	
1401 330	2401 165			Notice of Appeal	
1402 330	2402 165			Filing a brief in support of an appeal	
1403 290	2403 145			Request for oral hearing	
1451 1,510	1451 1,510			Petition to institute a public use proceeding	
1452 110	2452 55			Petition to revive - unavoidable	
1453 1,330	2453 665			Petition to revive - unintentional	
1501 1,330	2501 665			Utility issue fee (or reissue)	
1502 480	2502 240			Design issue fee	
1503 640	2503 320			Plant issue fee	
1460 130	1460 130			Petitions to the Commissioner	
1807 50	1807 50			Processing fee under 37 CFR 1.17(q)	
1806 180	1806 180			Submission of Information Disclosure Stmt	
8021 40	8021 40			Recording each patent assignment per property (times number of properties)	
1809 770	2809 385			Filing a submission after final rejection (37 CFR 1.129(a))	
1810 770	2810 385			For each additional invention to be examined (37 CFR 1.129(b))	
1801 770	2801 385			Request for Continued Examination (RCE)	
1802 900	1802 900			Request for expedited examination of a design application	

Other fee (specify)

\*Reduced by Basic Filing Fee Paid

**SUBTOTAL (3)** (\$)**SUBMITTED BY**

(Complete (if applicable))

Name (Print/Type)	Todd S. Parkhurst	Registration No. (Attorney/Agent)	26,494	Telephone	312-578-6694
Signature	<i>Todd S. Parkhurst</i>	Date	12/04/04		

**WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.**

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

## DEVICES, MATERIALS AND METHODS FOR SORTING, SEPARATING AND SIZING VERY SMALL PARTICLES

### Background of the Invention

5

Very small particles are used in a wide variety of manufactured products. In many of these products, the particles must be of extremely small size, but the small particles must be as uniform in size as possible. Examples of products containing extremely small particles of uniform size include pharmaceuticals, abrasives, inks, high-performance liquid chromatography columns, foodstuffs, and many others.

10

Separation of particles by size is a critical step in the production of such particles. Particles having an average size of about 40 microns or larger can be collected by using micromachined filters. To collect, or harvest, particles having an average size smaller than about 40 microns is often accomplished by air classification. Air classification uses Stokes drag to separate particles by size. A particle falling under the influence of gravity (either the earth's gravity or an artificially induced gravitational field such as that provided by a centrifuge) in a viscous fluid medium such as air will have a terminal velocity that is strongly dependent upon the diameter of the falling particle. Differently sized particles fall through air or other viscous fluid media at different rates, thus separating in space and enabling them to be easily harvested by size.

15

20

Air classification processes works tolerably well for the separation and harvesting of particle sizes down to about two microns. However, the efficiency of the classification process depends crucially on the properties of the viscous fluid medium through which the particles are sedimenting.

25

But when the particles to be separated, sized, and harvested have a geometric average diameter of less than about two microns, air classification and other systems are difficult to use. Reasons for this can be inferred from figure 1:

30

1. Terminal velocities for these extremely small particles become very low.
2. Brownian motion begins to dominate particle dynamics.
3. Particle agglomeration due to Van der Waal's attraction between particles begins to retard particle separation.

### **Objects of the Invention**

It is accordingly the general object of this invention to provide a device for separating  
5 extremely small particles according to their average diameter or size. A related object  
is to provide such a device which will operate in a relatively rapid and reliable matter.

Another related object of the invention is to utilize a sedimentation medium which  
will encourage and permit particles of extremely small size to separate and sediment  
10 relatively rapidly and in a reliably predictable manner.

Yet another object of the invention is to provide a device for separating extremely  
small particles which can be operated relatively easily and at relatively small expense.

15 Although the preferred embodiment described below provides a device for separating  
particles by size, it is clear that in general the process could be extended to separate  
particles by shape, mass, density mechanical defect, or any other characteristic which  
causes some of the particles to fall through a medium faster than other particles.

20 Other objects and advantages of the invention will become apparent upon reading the  
following detailed description and upon reference to the drawings. Throughout the  
drawings, like reference numerals refer to like parts.

### **Brief Description of the Drawings**

25 Figure 1 is a graph showing the relationship of the geometric average diameter of  
particles falling through a fluid medium of known viscosity, the terminal velocity of  
those particles, and the Brownian displacement to which those particles are  
susceptible.

30 Figure 2 is a phase diagram of helium.

Figure 3a is a sketch showing an extremely small particle and the wetting action  
imposed by a fluid surrounding the particle.

Figure 3b is a sketch similar to figure 3a showing two extremely small particles insulated from one another and deterred from agglomeration by layers of adhered atoms of the medium in which they are immersed.

5

Figure 4 is a schematic drawing showing, in sectional aspect, the top of a device for separating, sizing and classifying extremely small particles.

10

Figure 5 is a schematic drawing showing, in sectional aspect, the bottom of the device shown in figure 4 for separating, sizing and classifying extremely small particles.

15

Figure 6 is an image derived from a scanning electronic microscope showing the top layer of a mixture of 7 micron and 2 micron diameter particles prior to sedimentation in superfluid helium.

Figure 7 is an image derived from a scanning electron microscope showing the top layer of a mixture of 7 micron and 2 micron diameter particles after sedimentation in superfluid helium.

20

### **Detailed Description**

25

While the invention will be described in connection with certain preferred embodiments and procedures, it will be understood that it is not intended to limit the invention to these embodiments or procedures. On the contrary, it is intended to cover all alternatives, modifications and equivalents as may be included within the spirit and scope of the invention as defined by the appended claims.

30

To accomplish the above objects, the invention comprises a quantity of low viscosity high wetting parameter fluid; means for injecting the particles to be sorted, separated and sized into that fluid; and means for harvesting at least some of those separated particles from the fluid.

The properties of superfluid helium make it an excellent medium in which to separate small particles. Ordinary liquid helium at 4.2 degrees Kelvin has a viscosity 5.5 times

less than that of air at 20 degrees centigrade. A low viscosity medium suggests a relatively high terminal velocity for particles passing through the medium. In addition, if a low temperature can be maintained in the medium, the effect of Brownian diffusion on particle dynamics will be minimized. Furthermore, liquid helium has a very high wetting parameter; that is, helium atoms have a greater affinity for foreign objects than they do for other helium atoms. As a result, and as suggested in figures 3a and 3b, solid particles 10 immersed in liquid helium 12 quickly become insulated from one another in layers 14 of adhered helium atoms that have only a very weak Van der Waals attraction to one another. The layers of helium atoms thus acts as a surfactant to deter particle agglomeration while the particles are immersed in the cold liquid. Accordingly, liquid helium is a good candidate for a better particle sedimentation protocol than protocols currently achievable using air classifying equipment or other currently available techniques.

However, because liquid helium will boil under ordinary conditions, superfluid helium is an even better sedimentation medium. Superfluid helium can be produced relatively simply by lowering the pressure above a container filled with ordinary liquid helium. The physical properties of superfluid helium are so different from ordinary helium liquid helium, or Liquid Helium I, that superfluid helium is considered to be a unique state of matter; it is neither a solid nor liquid nor gas. Either  $^3\text{He}$  or  $^4\text{He}$  or a combination of  $^3\text{He}$  and  $^4\text{He}$  can be used.

The pressure and temperature constraints for superfluid helium or Liquid Helium II are shown in the phase diagram of figure 2. To generalize somewhat, superfluid helium can be produced and maintained at pressures less than 2.5 atmospheres and temperatures below 2 degrees Kelvin. In accordance with the invention, superfluid helium can be used to efficiently, effectively and inexpensively separate and sort extremely small particles.

A device for sorting, separating and sizing extremely small particles is suggested schematically in figures 4 and 5. To separate extremely small particles according to their average diameter or size, and to do so in a relatively rapid, reliable yet inexpensive manner in accordance with the invention, the illustrated device comprises, a cryogenic chamber 40 within which particle movement and separation



can occur; a loading chamber 20 connected to the cryogenic chamber 40 for loading particles into the cryogenic chamber, and a collector device 80 connected to the cryogenic chamber 40 for collecting at least some of the particles after they have been separated by size.

5

The closed, gas-tight loading chamber 20 includes a receiver 22 for receiving particles 10, 11 and 13 to be separated and for loading the particles 10, 11 and 13 into the cryogenic chamber 40. A gate valve 23 is interposed between the receiver 22 and the cryogenic chamber 40 for controlling the flow of particles from the loading chamber 20 to the cryogenic chamber 40.

10

Above or upstream of the receiver 22, a vacuum conduit 25 is connected via appropriate valving 27, 28 to a vacuum or exhaust pump (not shown) for drawing air from the receiver 22. A delivery conduit 29 delivers helium to the receiver 20 when appropriate valving 30, 27 is opened. The particles 10, 11, 14 to be classified, sorted and sized can be delivered from a remote source (not shown) through a conduit 32 and inlet valve 34 to the receiver 22. At appropriate time, the gate valve 23 is opened and the particles flow from the receiver 22 through a delivery conduit 36 extending into the interior of the cryogenic chamber 40 by a sufficient distance so that the particles are deposited within superfluid in the cryogenic chamber 40.

15

20

In accordance with one aspect of the invention, the cryogenic chamber is adapted to produce and maintain a column of very low viscosity, high wetting fluid such as superfluid helium 4He. An OptistatSXM Helium bath cryostat can be adapted and used for this purpose. This device is available from Oxford Instruments Superconductivity USA of 130A Baker Avenue Extension, Concord, Massachusetts.

25

As indicated above, particles falling through the superfluid medium in the cryogenic chamber tend to separate according to their size; larger particles tend to fall faster and arrive at the bottom of the column before the slower-falling smaller particles. To distinguish between these differently sized particles in accordance with another aspect of the invention, differentiation or size recognition equipment 90 can be provided, as suggested in figure 5. In the illustrated embodiment, this particle size indicating and recognition equipment 90 takes the form of a laser 91 mounted to direct a beam of

30

light 92 through windows 93 and 94 in the cryogenic chamber. Light which illuminates the particles falls on a target screen 95. The laser should provide light at a frequency far from that absorbed by the superfluid so that the heat load on the superfluid helium is minimized. For example, a Nd:YAG laser operating on a low duty cycle at the 532 nm line may be effective. As the particles fall through the laser light beam, diffraction patterns are created on the receiving screen 95. Differently sized particles create differing diffraction patterns. Differences in the diffraction patterns can be detected and sensed by a computer 96 connected to the target screen 95, and information about the particles sizes can be delivered to the system operator by any suitable means.

This information about particles sizes can be used to harvest particles of a desired size or sizes and to discard particles which are excessively large or excessively small. This particle harvesting can be accomplished in any of a number of ways. For example, particles 11 which are too large will reach the bottom of the chamber apparatus first, before any particles of the desired size arrive. Under the circumstances, the superfluid helium in a discard conduit 42 can be pumped out, drawing off the oversized particles 11 with the fluid. Thereafter, when particles of the desired size begin to reach the bottom of the column, discard column pumping is halted and the superfluid helium and right-sized particles can be drawn-off from the column 40 by a harvest conduit 44 and pump (not shown). When particles 13 which are too small to meet requirements begin to arrive at the bottom of the column 40, pumping and particle draw off or removal through the harvest column 44 can be halted and particle withdrawal through the discard column 42 can be resumed.

Alternatively, a diverter baffle 47 can be located at the column bottom as illustrated in figure 5, and the diverter baffle 47 can be connected by a shaft or any other suitable means 48 to a baffle control 49 as illustrated in figures 4 and 5. The diverter baffle is oriented, sized and located to direct particles falling upon it to either a discard portion 48 of the column bottom or to a harvest or collection portion 49 of the column bottom. The operation of this diverter baffle can be controlled by the particle size sensing computer 97.

Claims:

1. A device for separating very small particles by size, comprising, in combination,  
5 a cryogenic chamber within which particle travel and separation can occur,  
a loading chamber connected to the cryogenic chamber for loading particles into the  
cryogenic chamber, and  
a collector device connected to the cryogenic chamber for collecting at least some of the  
particles after they have been separated by size.
- 10 2. A device according to claim 1 further including a device for indicating the size of the  
particles as the particles move through the cryogenic chamber.
3. A device according to claim 1 wherein said cryogenic chamber is adapted to produce  
and maintain a column of very low viscosity, high wetting fluid.
4. A device according to claim 1 further including a superfluid within said cryogenic  
15 chamber.
5. A device according to claim 4 wherein said superfluid is a liquid.
6. A device according to claim 5 wherein said liquid is helium.
7. A device according to claim 6 wherein said helium is  $^4\text{He}$ .
8. A device according to claim 1 wherein said cryogenic chamber is adapted to produce  
20 an internal temperature of lower than 2.2 degrees Kelvin.
9. A device according to claim 1 further including a discard conduit for drawing off  
particles to be discarded.
10. A device according to claim 1 further including a harvest conduit for drawing off  
particles to be harvested.
- 25 11. A device according to claim 1 further including a discard conduit for drawing off  
particles to be discarded, a harvest conduit for drawing off particles to be harvested, and an  
actuator for actuating a flow of fluid in the discard conduit and a flow of fluid in the harvest  
conduit at different times.
12. A device according to claim 1 wherein said loading chamber includes a receiver for  
30 receiving the particles to be separated and for loading the particles into said cryogenic  
chamber.
13. A device according to claim 12 further including a gate valve interposed between said  
receiver and said cryogenic chamber for controlling the flow of particles from the loading  
chamber to the cryogenic chamber.

14. A device according to claim 12 wherein said loading chamber further includes a vacuum conduit for drawing air from the receiver.
15. A device according to claim 12 wherein said loading chamber further includes a delivery conduit for delivering helium to the receiver.
- 5 16. A device according to claim 13 further including a delivery conduit extending from the receiver into the cryogenic chamber by a sufficient distance that the particles flowing from the receiver and the gate valve are deposited within superfluid in the cryogenic chamber.
17. A device according to claim 1 wherein said collector device includes a diverter for  
10 diverting a flow of particles to be discarded from a flow of particles to be harvested.
18. A device according to claim 1 further including a laser generator positioned to direct a beam of laser light through the cryogenic chamber so as to illuminate any particles therein.
19. A device according to claim 18 further including a detection device for detecting a diffraction pattern of light created by said illumination of particles within the cryogenic  
15 chamber.
20. A device according to claim 19 further including recognition apparatus for detecting and distinguishing between various diffraction patterns of light created by said illumination of particles within the cryogenic chamber, and for generating different signals in response to the detection of different diffraction patterns.
- 20 21. A device according to claim 20 further including means connecting the recognition apparatus to a diverter mechanism for diverting a flow of particles of a predetermined sizes from a flow of particles of other sizes.
22. A method of sorting very small particles by size, comprising the steps of providing a column of very low viscosity high wetting fluid,  
25 introducing a plurality of particles of various sizes into the fluid in the column, causing the particles to travel through the fluid so as to separate the particles by size, and harvesting the separated particles of desired size.
23. A method according to claim 21 including the steps of causing the particles to travel through the fluid toward at least one collecting point, and harvesting at least some particles at  
30 the collecting point.
24. A method according to claim 22 wherein the step of providing a column of very low viscosity high wetting fluid includes the step of providing a superfluid.
25. A method according to claim 22 wherein the step of providing a superfluid includes the step of providing a helium superfluid.

26. A method according to claim 22 further including the steps of illuminating the particles traveling through the fluid, creating diffraction patterns by the illumination of the particles, and distinguishing between particles of different sizes by differences in said diffraction patterns.
- 5 27. The method according to claim 22 further including the steps of loading particles into a loading chamber receiver and drawing air from the loading chamber receiver before introducing the particles into the cryogenic chamber.
28. The method according to claim 27 further including the steps of introducing gaseous helium into the loading chamber receiver after at least some air is drawn from the loading  
10 chamber receiver.
29. A method according to claim 22 further including the step of drawing particles to be harvested from the cryogenic chamber.
30. A method according to claim 22 further including the step of drawing particles to be discarded from the cryogenic chamber.
- 15 31. A method according to claim 22 further including the steps of drawing particles to be harvested from the cryogenic chamber at a predetermined time, and drawing particles to be discarded from the cryogenic chamber at a different time.
32. A batch of particles of predetermined sizes which have been selected by the method of claim 31.
- 20 33. A batch of particles wetted by helium.
34. A superfluid having therein a plurality of very small particles.
35. A combination according to claim 34 wherein at least some of said particles are less than 40 microns in size.
36. A combination according to claim 34 wherein at least some of said particles are less  
25 than 2 microns in size.
37. A combination according to claim 33 wherein said helium is in a superfluid state..
38. A combination according to claim 33 wherein said helium has a temperature of less than 2.2 degrees Kelvin.
39. A combination according to claim 34 wherein said superfluid is contained in a  
30 vertically elongated chamber.
40. The use of a superfluid helium to separate and sort particles.
41. The use according to claim 40 wherein said superfluity is helium.
42. The use of helium to separate and sort particles.

### **Abstract of the Invention**

Advice for sorting separating and sizing very small particles is disclosed and claimed. The device comprises a cryogenic chamber within which particle movement, travel and  
5 separation can occur; a particle loading chamber for loading particles into the cryogenic chamber; and a particle collector. Also disclosed and claimed is helium, and more specifically helium in its superfluid state, for separating the particles.

# 2277641\_v1

1/4




Fig. 1





Fig. 2

The phase diagram of  $\text{He}^4$ .



2/4



+

3/4




Fig. 5




Fig. 4

+

4/4




Fig. 7




Fig. 6

## DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a design patent is sought on the invention entitled:

**"DEVICES, MATERIALS AND METHODS FOR SORTING, SEPARATING AND SIZING VERY SMALL PARTICLES"**

Case No. 760575.00017, the specification of which

  X   is attached hereto.

Domestic Priority from U.S. Provisional  
Patent Application.

(check  
one)

  X   was filed on October 28, 2003 as  
Application Serial No. 60/514,949  
and was amended on \_\_\_\_\_  
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent Office all information which is known to me to be material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, 1.56.<sup>1</sup>

I do not know and do not believe this invention was ever known or used in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to this application, that the same was not in public use or on sale in the United States of America more than one year prior to this application, and I believe that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve months prior to this application, and that no application for patent or inventor's certificate on this invention has been filed in any country foreign to the United States of America prior to this application by me or my legal representatives or assigns:

And I hereby appoint Todd S. Parkhurst (26,494), Lewis T. Steadman, Sr. (17,074) and Robert J. Depke (37,607), all members of the firm of Holland & Knight LLC  
Telephone: (312) 263-3600

as my attorney with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith and direct that all correspondence be forwarded to:

**Holland & Knight LLP**

<sup>1</sup> (b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and

- (1) It establishes, by itself or in combination with other information, a *prima facie* case of unpatentability of a claim; or
- (2) It refutes, or is inconsistent with, a position the applicant takes in:
  - (i) Opposing an argument of unpatentability relied on by the Office, or
  - (ii) Asserting an argument of patentability.

A *prima facie* case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

131 S. Dearborn, 30<sup>th</sup> Floor  
Chicago, Illinois 60603

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor Neal Kalechofsky

Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_

Residence Oxford America, Inc., 130A Baker Avenue Ext., Concord, MA 01742

Citizenship \_\_\_\_\_

Post Office Address \_\_\_\_\_

Full name of second joint inventor,  
(if any) \_\_\_\_\_

Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_

Residence \_\_\_\_\_

Citizenship \_\_\_\_\_

Post Office Address \_\_\_\_\_

Full name of third joint inventor,  
(if any) \_\_\_\_\_

Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_

Residence \_\_\_\_\_

Citizenship \_\_\_\_\_

Post Office Address \_\_\_\_\_